



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

The Range of the Short-tailed Mountain Chickadee (*Penthestes gambeli abbreviatus* Grinnell).—The form of *Penthestes gambeli* recently described by Dr. Joseph Grinnell (Univ. Calif. Publ. Zool., XVII, No. 17, May 4, 1918, p. 510) as *Penthestes gambeli abbreviatus* is an excellent subspecies. The range given by its describer is "The higher mountains of central and northern California, southern Oregon, (probably this subspecies), and northwestern Nevada." To this we are able so greatly to add from material in the Biological Survey collection, that it seems worth while to put on available record for the benefit of those who may have occasion to use the information, a statement of the geographic distribution of *Penthestes gambeli abbreviatus*, so far as now known. This subspecies breeds and doubtless is a permanent resident north to Thudade Lake in northern British Columbia; west to central British Columbia, western Washington, western Oregon, and central northern California; south to Mt. Whitney in central eastern California; and east to northeastern California, northwestern Nevada, Lardo and Dickey in central Idaho, and Smoky River and the vicinity of Henry House in central western Alberta.—HARRY C. OBERHOLSER, *Washington, D. C.*

Note on Audubon's Labrador Trip.—Mr. James White, assistant to the chairman of the Canadian Commission of Conservation writes me in connection with the meeting between Audubon and Bayfield, that some twelve years ago he had located Capt. Bayfield's Journals of the Surveys in the Gulf of St. Lawrence, in the possession of the Captain's son in Vancouver, B. C. They were later presented to the Canadian Archives and Mr. White had the following extract copied. Opposite the first entry were the names of the Audubon party as follows:

Mr. J. J. Audubon, Senior
 Mr. J. W. Audubon, junior, his son
 Mr. Thos. Lincoln, Maine
 Mr. Josh Cooledge, mate of the Ripley
 Mr. Geo. G. Shattuck, Boston medical student
 Mr. Willm. Ingall, Medical student
 Mr. Emery, Master of the Ripley

22d June, 1833.—Light breezes S. E. with rain. At 3.30 A. M. Tacked and stood in to the E. N. E. & N. E. sounding,—At 6 saw the land but could not make it out for some time on acct of the rain. At 7 perceived that it was Little Natashquam — several schooners at anchor inside the rocks made signal for a Pilot with a Gun — At 7.30 the Master of the Shelburne (Phillips) of Liverpool near Halifax came onboard and took us in for which I paid him 20s Cur: Found 6 american Schooners belonging to East Port in the State of Main all belonging to one person who is here with them. We also found another American Schooner here the Ripley of Eastport employed